
From: Ann Rodriguez [REDACTED]
Sent: Wednesday, May 1, 2019 9:16 PM
To: Karyna Shuliak
Cc: Bella Klein; CARLUZ TOYLO; [REDACTED]; Rich Kahn
Subject: Re: AED defibrillators preventative maintenance

will do.

Ann R.
[REDACTED]

On May 1, 2019, at 4:19 PM, Karyna Shuliak [REDACTED] > wrote:

Th=nks Ana. Please contact the cardio partners team (the number below) and sch=dule the maintenance with them. The defibrillators will need to be shipped t= them for maintenance. Once it's done, they will ship them back to y=u.

Cardio partners t=am:

Email: [REDACTED]

Phone: = [REDACTED]

Ple=se confirm back.

If you=have any questions, let me know please.

Thank you.

On May 1, 2019, at=5:12 AM, Ann Rodriquez <[REDACTED]> > wrote:

I found the=...

AED defibri=lators

LSJ: 46259784 expires 8/2020

GSJ: 46183913 expires 8/2020

<image1.jpeg><image2.jpeg>&=t;image3.jpeg>

Ann R.<=iv> [REDACTED]

On Apr 30, 2019, at 11:46 AM, Karyna Shuliak [REDACTED] >
wrote:

It turns out I had a wrong email address for Ana.
Ana, please confirm the receipt of these emails and let me know if you have any questions.
Thank you!
Karyna

Begin forwarded message:

From: Bella Klein [REDACTED] > &t;
Date: April 30, 2019 at 8:44:08 AM EDT
To: CARLUZ TOYLO <[REDACTED]>
Karyna [REDACTED]

Richard Kahn [REDACTED]

<blockquote>

Subject: Re: AED defibrillators preventative maintenance

Thank you Carluz. Merwin and Anna please update on RMA request.

Thank you,
Bella

[REDACTED]
Tel:=span class="Apple-tab-span" style="white-space: pre;">[REDACTED]

On Apr 30, 2019, at 8:35 AM, CARLUZ TOYLO [REDACTED] >
=> wrote:

Defibrillators was sent yesterday afternoon
thru Fed Ex , thank you

Carluz=N. Toylo
358 EL Brillo Way
Palm Beach , FL 33480

On Apr 29, 2019, at 15:20, Bella Klein <

[REDACTED]
Mer=in and Anna please request RMA and send for maintenance. Carluz already
req=ested the RMA and will send for replacement as soon as RMA received. <=r class="">

Thank you,
Bella

[REDACTED]
Tel:=span class="Apple-tab-span" style="white-space: pre;">[REDACTED]

[REDACTED]
On Apr 29, 2019, at 3:13 PM, Karyna Shuliak [REDACTED]

[REDACTED]> wrote:</=iv>

We have 5 defibrillators at 71st Street now: 1 from the house, 2 for t=e ranch, 1
for the plane and 1 that came back to Paris. Merwin should sched=le the maintenance today.

Ana, I have not heard back from you. Pl=ase confirm that you received this
correspondence.

Thank you.

[REDACTED]
On Apr 29, 2019, at 3:05 PM, Bella K=ein [REDACTED]

[REDACTED]> wrote:

Merwin/Karen/Anna/Carluz=Larry,
Please confirm the maintenance was scheduled and forw=rd backup
documents.

Thank you,
Bella

[REDACTED]
Tel:=span class="Apple-tab-span" style="white-space: pre;">[REDACTED]

[REDACTED]
On Apr 26, 2019, at 10:41 AM, Karyna Shuliak [REDACTED]

[REDACTED]> wrote:<=div>

Hello Merwin, Karen and Ana,

Please confirm if you received my=email about the defibrillators maintenance.
Thank you.

Karyna

On Apr 25, 2019, at 1:21 PM, Ka=yna Shuliak [REDACTED]

> wrote:

Dear A=I,

Our AED defibrillato=s are due for preventative maintenance.

After speaking with the service agent it appear= the best way for us to proceed would be for each of you to schedule mainte=ance individually for each property. You will need to ship the defibrillato=s to them and they will ship it back once the maintenance is done.

Merwin, Carluz, Karen, Ana= please see the email below and call Cardio Partners number to schedule mai=teneance. They will give you all the necessary information on how to proceed=

Since this is very important, please everyone confirm=back to me once you have the defibrillators shipped ant receive them back f=om maintenance.

W= currently have the following quantities for each property:

NY x 1 + 1 in the box for the air=lane

Palm Beach x 1

Ranch x 2

Island x 2 (1 on LSJ, 1 on GSJ)

Paris=x 1 (I will have to take care of that separately)

Please confirm back the receipt of this mess=ge. If you have any questions, let me know.

Thank you all.

=/div>

Karyna

Begin f=rwarded message:

From: Service at Cardio Partners [REDACTED]

<mailto:se=vice@dxemed.com> >

Schedule Your A=D Preventative Maintenance Today

=td align="center" style="border-collapse: collapse;" class="">> =tr class="">>
<http://www.cardiopart=ers.com/skin/frontend/default/dxe_responsive/images/main_logo.png>

=td valign="top" style="border-collapse: collapse;" class="">>

=font style="color: rgb(204, 0, 0); font-size: 18px; line-height: 24px;" c=ass="">It's Time to Service Your AED with Preventative Maintenance

</=d>
<=d valign="top" style="border-collapse: collapse; padding: 0px 10px;" cl=ss=""> Dear Valued Customer,

It is important that your life saving equipment perform when the need arises. Since your purchase of New Fully Auto LIFEPAK CR+ AED with (1) Carry Case (1) Charge-Pak (2) Pads occurred one year ago, we recommend that you contact us to schedule preventative maintenance on your device. This program will not only ensure your AED is performing properly, but also will extend the life of your product.

Other benefits include

- * Keep your facility compliant and out of liability
- * Protect your investment
- * Maintain cost savings on repairs

46183937

<https://mandrillapp.com/track/click/30750659/www.dxemed.com?p=eyJzIjoiQkE3QWxwMm5QOEU0aXpUb2I3cFR=RU9acUxnliwidil6MSwicCI6IntcInVcljozMDc1MDY1OSxclnZcljoxLFwidXJsXCI6XCJodHR=OlxXC9cXFwvd3d3LmR4ZW1lZC5jb21cXFwvc2VydmljZXM_dXRtX3NvdXJjZT1XQVJSQU5UWSZ=dG1fbWVkaXVtPWVtYWlsJnV0bV9jYW1wYWlnbj1hdXRvbWF0ZWRlbWFpbHNclixclmlkXCI6XCJ=YmJjMzg4OWVkZGE0Y2Q3OTIIYjlmZWI0MmQ4NDAzNFwiLFwidXJsX2Ikc1wiOltcljA3MjcyMmE=NDY3ODU2YWEzODU4ZWlxM2I1MjFiNmRhY2RjOWUzYjJcll19In0>

</body>
<tr class="">Please note: Onsite preventative maintenance available. Ask your service rep about your options.

</=d>

If your device is nearing the end of its warranty period, please also speak with our service reps about extended warranty options to maintain your device in the most cost-effective and compliant manner possible.

Contact us today:

Email: Phone: [REDACTED]

<= style="margin: 1em 0px; font-size: 14px; line-height: 22px;" class="">Thank you, The Cardio Partners Team

Onsite preventive Maintenance are available for a trip fee. We only recommend this option if the customer has enough units for it to be cost effective. Pricing is determined on location (mileage) and the number of units. If customers only have a few units we explain our free loaner program.

=hr size="1" class="">
=/table>

<<https://mandrillapp.com/track/open.php?u=30750659&id=dbbc3889edda4cd799eb9feb42d84034>>

This email was sent to [REDACTED] [unsubscribe](#) from this list
<[<=div>](https://mandrillapp.com/track/click/30750659/mandrillapp.com?==eyJzIjoiX18tR0tMZDhRdVdzUkJTdnJ5OVdaNUhNdGY0liwidil6MSwicCI6IntcInVcIjoz=Dc1MDY1OSxcInZcIjoxLFwidXjsXCI6XCJodHRwOlxcXC9cXFwvbWFuZHJpbGxhcHAuY29tXFxc=3RyYWNRxFxcL3Vuc3ViLnBocD91PTMwNzUwNjU5JmlkPWRiYmMzODg5ZWRkYTRjZDc5OWViOWZl=jQyZDg0MDM0LlaSWg1d0NFbm5rOGhOdVJ1OHRIZnM0eDUzayUzRCZyPWh0dHBzJTNBJTJGJTJG=WFuZHJpbGxhcHAuY29tJTJGdW5zdWIIM0ztZF9lbWFpbCUzREtBUIIOQVNIVUxJQUslMjU0MEID=E9VRC5DT01clixclmlkXCI6XCJkYmJjMzg4OWVkJGE0Y2Q3OTIYjImZWI0MmQ4NDAzNFwiLFwi=XJsX2IkC1wiOltcljg3ZjkyM2YxODI4NmZjOTc4MDBhNTcwN2VhMjAyYzNhMDQ1MDBmYTRcII19=n0>
=div></p></div><div data-bbox=)

=