
From: Richard Kahn [REDACTED]
Sent: Friday, May 31, 2019 6:27 PM
To: ann rodriquez
Cc: Karyna Shuliak; Bella Klein; CARLUZ TOYLO; Renato Lacson; Merwin Dela Cruz
Subject: Re: AED defibrillators preventative maintenance

merwin please confirm these were received thank =ou

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue 4th Floor
New York, NY 10022
tel [REDACTED]
fax [REDACTED]
cel [REDACTED]

On May 30, 2019, at 6:36 PM, Ann Rodriquez <annrodriquez@yahoo.com> wrote:

Good evening Karyna,

I called the Cardio Partners in search =f our LSJ/GSJ AED defibrillators.

Ms. Holly at Cardio Partners said they =ere shipped to 9 E. 71st St.
if possible, can they =e put on the plane for his Monday 6/3 visit home

AED defibrillators
LSJ =ag on bag: 46259784
GSJ Tag on bag: =6183913

<image1.jpeg>=br class="">

Thank you,
Ann R.
[REDACTED]

On May 1, 2019, at 4:19 PM, Karyna Shuliak <[REDACTED]> wrote:

Thanks Ana. Please contact the cardio partners team (the number below) and schedule the maintenance with them. The defibrillators will need to be shipped to them for maintenance. Once it's done, they will ship them back to you.

Cardio partners team:

Email: [REDACTED]

Phone: [REDACTED]

Please confirm back.

If you have any questions, let me know please.

Thank you.

On May 1, 2019, at 5:12 AM, Ann Rodriguez sent:
<mailto:[REDACTED]> wrote:

I found them...
AED defibrillators
LSJ: 46259784 expires 8/2020
GSJ: 46183913 expires 8/2020

<image1.jpeg><image2.jpeg><image3.jpeg>=br class="">

Ann R.
[REDACTED]

On Apr 30, 2019, at 11:46 AM, Karyna Shuliak <[REDACTED]> wrote:

It turns out I had a wrong email address for Anna.
Anna, please confirm the receipt of these emails and let me know if you have any questions.

Thank you!
Karyna

Begin forwarded message:

From: Bella Klein <[REDACTED]>
Date: April 30, 2019 at 8:44:08 AM EDT
To: CARLUZ TOYLO <[REDACTED]> <mailto:[REDACTED]>
Cc: Karyna <[REDACTED]> <mailto:[REDACTED]>
[REDACTED], Richard Kahn <[REDACTED]> <mailto:[REDACTED]>, [REDACTED]

Subject: Re: AED defibrillators =reventative maintenance

Thank you Carluz. =erwin and Anna please update on RMA request.

Thank you,
Bella

Tel: [REDACTED]

On Apr 30, 2019, at 8:35 AM, CARLUZ TOYLO <[REDACTED]> =rote:

Defibrillators was sent =esterday afternoon
thru Fed Ex , thank =ou

Carluz =. Toylo

On =pr 29, 2019, at 15:20, Bella Klein <[REDACTED]>=wrote:

Merwin and Anna =lease request RMA and send for maintenance. Carluz already
requested =he RMA and will send for replacement as soon as RMA received.

Thank you,
Bella

Tel: [REDACTED]

On Apr 29, 2019, at 3:13 PM, Karyna Shuliak <[REDACTED]>

wrote:

We have 5 defibrillators at =1st Street now: 1 from the house, 2 for the ranch, 1
for the plane and = that came back to Paris. Merwin should schedule the maintenance =oday.

Ana, I have not heard back from you. Please =confirm that you received this
correspondence.

Thank you.

On Apr 29, 2019, at 10:05 PM, Bella Klein <mailto:[REDACTED]> wrote:

Merwin/Karen/Anna/Carluz/Larry,

Please confirm the maintenance was scheduled and forward backup documents.

Thank you,
Bella

[REDACTED]
Tel: [REDACTED]

On Apr 26, 2019, at 10:41 AM, Karyna Shuliak <mailto:[REDACTED]>

wrote:

Hello Merwin, Karen and Anna,

Please confirm if you received my email about the defibrillators maintenance.

Thank you.

Karyna

On Apr 5, 2019, at 1:21 PM, Karyna Shuliak <mailto:[REDACTED]>

wrote:

Dear All,

Our AED defibrillators are due for preventative maintenance.

After speaking with the service agent it appears the best way for us to proceed would be for each of you to schedule maintenance individually for each property. You will need to ship the defibrillators to them and they will ship it back once the maintenance is done.

Merwin, Carluz, Karen, Ana: please see the email below and call Cardio Partners number to schedule maintenance. They will give you all the necessary information on how to proceed.

Since this is very important, please everyone confirm back to me once you have the defibrillators shipped and receive them back from maintenance.

We currently have the following quantities for each property:

NY x 1 + 1 in the box =or the airplane
Palm Beach x 1
Ranch x 2
Island x 2 (1 on LSJ, 1 on =SJ)
Paris x 1 (I will have to take care of that =separately)

Please confirm back the receipt of this message. If you have =ny questions, let me know.

Thank you all.

Karyna

Begin forwarded message:

From: Service at Cardio Partners <[REDACTED]>

Subject: Schedule Your AED Preventative Maintenance Today

It's Time to Service Your AED with Preventative =aintenance

<=r class="">Dear Valued =ustomer,

It is important that your life =aving equipment perform when the need arises. Since your purchase of =ew Fully Auto LIFEPAK CR+ AED with (1) Carry Case (1) Charge-Pak (2) =ads occurred one year ago, we recommend that you contact us to schedule =eventative maintenance on your device. This program will not only =nsure your AED is performing properly, but also will extend the life of =our =roduct.

=tr class="">

Other benefits include

- * Keep your facility compliant and out of liability
- * Protect your investment
- * Maintain cost =avings on =epairs

=/tr>

Serial=Number: [REDACTED]

Please note: Onsite preventive maintenance available. Ask your service rep about your options.

If your device is nearing the end of its warranty period, please also speak with our service reps about extended warranty options to maintain your device in the most cost-effective and compliant manner possible.

Contact us today:

Email: [REDACTED]

Phone: [REDACTED]

Thank you,
The Cardio Partners Team

Onsite preventive maintenance are available for a trip fee. We only recommend this option if the customer has enough units for it to be cost effective. Pricing is determined on location (mileage) and the number of units. If customers only have a few units we explain our free loaner program.

<=tr>

=/tr>
<=td>

This email was sent to [REDACTED] [unsubscribe from this list](#)

<=r class="">
=/div>

=