

---

**From:** [REDACTED] <[REDACTED]>  
**Sent:** Saturday, December 15, 2012 3:34 PM  
**To:** Continuum North Assistant Manager  
**Subject:** Re: Question from unit 2304

Hi Suzy! We are scheduling deliver of our new couch in the next week or =. They are asking if they need to send a certificate of insurance =efore delivery. Can you send whatever info they need to send and where =hey need to send it. Thanks!

On Nov 23, 2012, at 4:41 PM, Continuum North Assistant Manager =assistantmanager@continuumnorthtower.com> wrote:

> Hi [REDACTED],  
>  
> Hope you and Brian enjoyed a lovely Thanksgiving. Sorry for the delay =n providing you with the Elevator Dimensions so you can forward to the =arrier for their convenience.  
>  
> Hope this information is helpful. Otherwise, please let me know how =lse I can assist you with expending your delivery. Also, once you have =heir schedule, please let me know so I can inform Receiving and Master =ssociation.  
>  
> Thank you and have a great weekend!  
>  
> Cordially yours,  
>  
>  
>  
> Suzy Prego Gutierrez  
> Assistant Manager  
>  
>  
> North Tower Association,Inc.  
>  
> 50 South Pointe Drive | Miami Beach, Florida 33139  
> T: [REDACTED] | F: 305-674-7996  
> E: assistantmanager@continuumnorthtower.com  
>  
> Proudly and Professionally Managed by  
>  
>  
>  
>  
> -----Original Message-----  
> From: [REDACTED] [mailto:[REDACTED]]  
> Sent: Friday, November 23, 2012 2:10 PM  
> To: Continuum North Assistant Manager  
> Subject: Question from unit 2304  
>  
> Hello Suzy,

> This is [REDACTED] from unit 2304. I am going to be ordering a couch, but need to make sure it will fit in the elevator before doing so. There are 2 couches I'm looking at and wondering if you could tell me if they will fit or not. The first:

> Couch 1: Total dimensions:

> L:106.25" X 43.25" X 25.5" High. This couch comes in 2 sections, so essentially the dimensions would really be L:53.125" X 43.25" X 25.5" High.

>

> Couch 2 is 94" X 47" X 35".

>

> Could you pls let me know if either or both would fit in the buildings elevator. Thank you!

> [REDACTED]

> 917-855-3363

> <Elevator Dimensions.pdf>

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
  <key>date-sent</key>
  <real>1355585637</real>
  <key>flags</key>
  <integer>8623750145</integer>
  <key>original-mailbox</key>
  <string>imap://sarahk525@mail.mac.com/Sent%20Messages</string>
  <key>remote-id</key>
  <string>15019</string>
  <key>subject</key>
  <string>Re: Question from unit 2304</string> </dict> </plist>
```