

---

**From:** [REDACTED]  
**Sent:** Wednesday, June 29, 2011 2:31 PM  
**To:** Gary Kerney; LSJ  
**Subject:** Fwd: USA

JE is thinking of this shower for the main pool outdoor shower. It is made in France. We are wondering if there is any reason it couldn't work with connecting it on the island due to it being made in France, different size connectors possibly etc..?

I have no idea what accessories we would need to order for the hot and cold water, etc.. (warm water regulator, mixer, etc) I don't know what it all means.

It also comes with the option to add a foot faucet and/or handheld shower that would hook to the side which I would order as an add on.

Begin forwarded message:

From: Chrisauclair@aol.com  
</iv>  
Date: June 29, 2011 10:40:26 AM EDT

To: [REDACTED]

Subject: Re: SA

Hi [REDACTED]

Regarding the shower JAVA IN TEAK, please find below the informations.

JAVA IN TEAK:/font>

JAVAThe shower JAVA in Teak :

Price for the standard version with a board 60 x 75 cm diameter and standard showerhead 12 cm diameter is 910,00 EUROS including shipment to USA.

This shower can be equipped with the following options :

- \* showerhead Xflat 15 cm diameter ( + 60,00 € HT )
- \* showerhead flat 20 cm diameter ( + 105,00 € HT )

- \* Squale scale =emover showerhead 20 x 20 cm ( 115,00 € HT )
- \* Foottap equipment ( + =0,00 € HT )
- \* Cold and warm water =quipment ( 2 1/4 turn taps ) ( 140,00 € HT )
- \* Equipment with a mixer = + 120,00 € HT )
- \* Handshower equipment ( = 105,00 € HT )
- \* Large size 1/4 turn tap =ith crossbar ( + 50,00 € HT )

Tell me what =onfiguration you want and I will send you the detailed quote by return.

Delivery time = shipment possible 2 weeks maximum date of confirmation of order.

The picture below =resents the shower JAVA with the Xflat showerhead 15 cm diameter and the =large size 1/4 turn tap with crossbar :

standard tap little =ize      &nbs=;      =nbsp;      &n=sp;      large size 1/4 turn tap with crossbar

Cold and warm =ater equipment

&=bsp;  
&=bsp;      &nb=p;      =      &=bsp;      &nb=p;      Equipment mith a =ixer      &nb=p;      =  
<=font>

If you =ant to connect the shower with already mixed water, a warm water regulator can be =nstalled upstreams. The temperature will be decided upstreams and outside, only 1 =ine is necessary to connect the shower with water temperature settled =streams. This is in case you don't want or don't need to get the hot =nd cold equipment with 2 taps on the shower ( which requires the =nstallation of 2 pipes ).

Waiting for your answer

Best regards

Christine AUCLAIR

D'un =ardin à l'Autre

=/div>

=