
From: [REDACTED]
Sent: Monday, September 26, 2011 11:30 PM
To: [REDACTED]
Subject: Re: FYI - Outside-Canopy-Beds-9-26-11

Is it possible to send some photos? I know he will ask..

On Sep 26, 2011, at 2:14 PM, [REDACTED] wrote:

Hi [REDACTED]

Sorry to say they need to be replaced completely - look very shabby
Warmest regards
[REDACTED]

On Mon, Sep 26, 2011 at 10:28 AM, [REDACTED] > wrote:

Is the whole bed in bad shape, frame and all, or could we get away with a new cushion and canopy cover?

On Sep 26, 2011, at 10:43 AM, [REDACTED] > > wrote:

Hi [REDACTED],

Quick item JE wanted to have the 2 Restoration Hardware, Woven canopy beds placed outside room 4, please note the 2 that we have on site really need to be replaced - are in bad shape. If he still wants to go in this direction you will need to reorder

Warmest regards
[REDACTED]

--

LSJ,LLC
Island Manager
6100 Red Hook Quarters Suite B3
St Thomas
USVI 00802

Tel: [REDACTED]

Fax: [REDACTED]

--

LSJ,LLC
Island Manager
6100 Red Hook Quarters Suite B3
St Thomas
USVI 00802

Tel: [REDACTED]
Fax: [REDACTED]