

---

**From:** Merwin Dela cruz <[REDACTED]>  
**Sent:** Friday, September 8, 2017 2:11 PM  
**To:** jeffrey E.  
**Cc:** Karyna Shuliak  
**Subject:** Re:

Good morning sir,  
We checked a some duct works and found no mold/condensation.=/div> Any particular area you are concerned a=out?  
The other thing we could is, I can=have a company clean the coils inside the air handlers and disinfect. =/div> I am just  
waiting for the ozone spray t= spray the whole house. It should be here on Monday.

Thank you

Merw=n Dela Cruz  
[REDACTED]

On Sep 4, 2017, at 5:38 AM, jeffrey E. <jeevacation@gmail.com <mailto:jeevacation@gmail.com>> wrote:

we should check for mold in the ai= ducts. blow ozone throught the house.

<=r>--

=div dir="ltr"> please note  
<=iv>The information contained in this communication is confidential, may b= attorney-client privileged, may constitute  
inside information, and is i=tended only for the use of the addressee. It is the property of JEEUnauthorized use,  
disclosure or copying of this communication or any pa=t thereof is strictly prohibited and may be unlawful. If you have  
receiv=d this communication in error, please notify us immediately by return=e-mail or by e-mail to  
jeevacation@gmail.com <mailto:jeevacation@gmail.com> , and destroy this communication and all c=pies thereof,  
including all attachments. copyright -all rights reserved<=r> =