This is a multi-part message in MIME format.
----------MB_8CE3682D383F0EC_1774_85C49_webmail-
Content-Transfer-Encoding: quoted-printable
Content-Type: text/plain; charset="us-ascii"

Looks like I will see breat doc on Monday the 19th September and have lunch= with Eva I think Tuesday.
I arrive late Friday night (the 16th).
Is it still an option to stay in one of your apartments or should I try to = book a hotel?=20 Anything I need to do to confirm otherwise?
Thanks again for the connections and also the option of a place to stay...

----------MB_8CE3682D383F0EC_1774_85C49_webmail-
Content-Transfer-Encoding: quoted-printable
Content-Type: text/html; charset="us-ascii"

 <div>Looks like I will see breat doc on Monday the 19th September and have = lunch with Eva I think Tuesday.</div>

<div>I arrive late Friday night (the 16th).</div>

<div>Is it still an option to stay in one of your apartments or should I tr= y to book a hotel? </div>

<div>Anything I need to do to confirm otherwise?</div>

<div>Thanks again for the connections and also the option of a place to sta= y...

 </div>

<div style=3D"CLEAR: both"></div>

----------MB_8CE3682D383F0EC_1774_85C49_webmail-d143.sysops.aol.com--

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
        <key>date-last-viewed</key>
        0.0
        <key>date-received</key>
        1314856507

```xml
        <key>flags</key>
        <integer>8590195713</integer>
        <key>original-mailbox</key>
        <string>imap://jeevacation@imap.gmail.com/%5BGmail%5D/All%20Mail</string>
        <key>remote-id</key>
        <string>177403</string>
</dict>
</plist>
```

```xml
        <key>flags</key>
        <integer>8590195713</integer>
```