

---

**From:** Cecile de Jongh [REDACTED]  
**Sent:** Monday, July 13, 2015 3:37 PM  
**To:** jeffrey E.  
**Subject:** Re: STC Mold Remediation - Reefco

Great, thanks.

With warm regards,  
Cecile

=/div>

On Monday, July 13, 2015 11:16 AM, jeffrey E. <jeevac=tion@gmail.com> wrote:

=div id="yui\_3\_16\_0\_1\_1436800315487\_35909">  
=div id="yui\_3\_16\_0\_1\_1436800315487\_35907">

We asked Reefco (Anna said that they did work on the Island) to take a look at the m=ld issue. Dave, from Reefco said that the mold is in the walls of two offices (Jeanne and mine) and that at least the top half of the sheet rock =n each office will need to be removed, cleaned and replaced. He advised=us to keep our doors open until the problem is fixed. Your office and Una =80 s office has some moisture mold on the interior walls due to the AC and that can be remedied by wiping the walls down with a special solution.

We are hoping that one or two of the workers on the Island would be able to remove and replace the dry wall, if it's ok with you. Reefco will come in afterw=rds to remove and mitigate and their estimate is \$3,476.50 (see attachment=. Let me know if you approve.

With =arm regards,

Ceci=e  
=/div>

--

&nbs=; please note

T=e information contained in this communication is confide=tial, may be attorney-client privileged, may constitute =nside information, and is intended only for the use of t=e addressee. It is the property of JEE

communic=tion or any part thereof is strictly prohibited and may =e unlawful. If you have received this communication in e=rer, please notify us immediately by return e-mail or by=e-mail to jeevac=tion@gmail.com <mailto:jeevacation@gmail.com> , and destroy this communication and =ll copies thereof, including all attachments. copyright =all rights reserved