
From: LSJ <[REDACTED]>
Sent: Saturday, March 11, 2017 4:40 PM
To: jeevacation@gmail.com
Cc: Richard Kahn
Subject: Re: Water softener

Jeffrey

Patrick is asking for a copy of the Water Analysis Report indicating Hard water on LSJ Can a copy be forwarded Regards
Brice

Richard Kahn
HBRK Associates Inc.<div>
575 Lexington Avenue, 4th Floor
New York, NY 10022
tel [REDACTED]
fax [REDACTED]
cell [REDACTED]

Beg=n forwarded message:

Danny Vicars [REDACTED]
Subject: Fw: Water softener

Date:=March 10, 2017 at 6:03:03 PM EST

To: Ann Rodriguez [REDACTED], Richard Kahn
[REDACTED] Jeffrey Epstein <jeevacation@gmail.com>=br
class="">
Reply-To: Danny Vicars <<mailto:[REDACTED]>>

this quote is for whole main compound kitchen a=l cabanas and of course the main bed room

On Friday, March 10, 2017 10:44 AM, Don Goetz <[REDACTED]> wrote:

Here is our quote for a duplexing commercial water softener.
Thank You, Don
Poly Caribe Water Systems
3096 estate Mariendahl
St Thomas, VI, 00802
[REDACTED]

=