
From: Richard Kahn <[REDACTED]>
Sent: Tuesday, May 23, 2017 11:18 AM
To: Jeffrey Epstein
Subject: Fwd:

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue, 4th Floor
New York, NY 10022
[REDACTED]

Begin forwarded message:

From: =/b>Amy Dempsey [REDACTED]>
Subject: =/b>Re:

Date: =/b>May 23, 2017 at 6:50:19 AM =DT

To: =/b>R [REDACTED]>
Cc: Hugo Hodge [REDACTED]

We are presenting at the Interagency Meeting on the 21st of June and submitting the next day. I have finishing up the EAR now. I still need the final stuff from Hugo, but I take it that you got him the generator information so he can finish those things up. We are actually out today and tomorrow finishing the surveys for the new layout...

Amy Claire Dempsey, =A.
President, Bioimpact, Inc.
P.O. Box 132 =ingshill
St. Croix, U.S. Virgin Islands 00851
[REDACTED]

On Mon, May 22, 2017 at 6:26 =M, Richard Kahn <[REDACTED]> wrote:

any updates on moving this =forward

please advise
thank =ou

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue 4th Floor
New York, NY 10022

[REDACTED]

On May 16, 2017, at 7:49 AM, Amy Dempsey <[REDACTED]> =rote:

Sorry I was with the COE from 2pm on and will =e again today, we are doing site visits (but not on the boat so no =SJ).

Amy Claire Dempsey, =A.
President, Bioimpact, Inc.
P.O. Box 132 =ingshill
St. Croix, U.S. Virgin Islands 00851

On Mon, May 15, 2017 at 6:50 =M, Hugo Hodge <[REDACTED]> wrote:

Good evening All,

While we wait for everyone to confirm availability for the =all, I have received some specs for the generators. On the first =lance, I believe it can work but it will require some re-designing. The = generators will have to work in parallel and it will require a =edesign of the switchgear on both islands. Additionally some other =quipment, like step up transformers, will be needed for the new scheme =o work.

This work is outside of the agreed upon scope and I will need =o send you a proposal to do this design.

This makes it a good thing that we =idn't order the switchgear. I will also need to submit the new design =o WAPA for approval.

HH

On Mon, May 15, 2017 at 7:19 AM, Hugo Hodge <[REDACTED]> =rote:

Good morning All,

Amy is correct. I requested additional information about the generator to determine if there will be issues with it being the backup for both islands.

Additionally, we have not ordered any of the switchgear, cable, etc. for the project.

HH

On Sun, May 14, 2017 at 3:17 PM, Amy Dempsey <bioimpact.islands.vi@gmail.com> wrote:

I think we are quickly wrapping everything up, there were some things Hugo needed in relationship to the existing generator and its ability to carry both islands etc., but finally have the landings set which allows me to finalize all my pieces. and get the sections finished for the MAR.

Amy Claire Dempsey, A.A.
President, Bioimpact, Inc.
P.O. Box 132ingshill
St. Croix, U.S. Virgin Islands 00851

On Sun, May 14, 2017 at 3:04 AM, jeevacation@gmail.com wrote:

are we set?

--

please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com, and destroy this communication and all copies thereof,

including all attachments. copyright -all rights reserved

=