

F. J. Turbine Power, Inc.

FAA Approved Repair Station F7JR192Y

Form Q 009 - 10/5/98

Engine Work Card: FJT 1044 - 2/26/01

C-11

ROUTINE WORK FORM

WARNING: This routine work form does not in any way supersede the OEM's manual requirements. This form is intended to be used in conjunction with the OEM's manuals.

TITLE: Disk Worksheet for Pro-Rating Cycles - JT8D Engine Manual 05-10-00	
CUSTOMER: JEGE, Inc.	WORK ORDER: 800724
DISK PART NUMBER: 815711-002	DISK SERIAL NUMBER: BENCAS2345
OPERATION AND REFERENCE PROCEDURE	
USED ON ENG. MODEL (RATING) 217C	$\frac{9,743}{\text{CY. USED @ THIS RATING}} \div \frac{20,000}{\text{CY. LIMIT FOR THIS RATING}} = \frac{0.48715}{\% \text{ USED @ THIS RATING}} \times \frac{20,000}{\text{CY. LIMIT FOR INTENDED RATING}} = \frac{9,743}{\text{EQUIVALENT CY. USED @ THIS POWER RATING}}$
ENG. MODEL (RATING) TO BE USED ON 219	$\frac{20,000}{\text{CY. LIMIT FOR INTENDED RATING}} - \frac{9,743}{\text{TOTAL EQUIVALENT CY. USED}} = \frac{10,257}{\text{CYCLES REMAINING}} + \frac{9,743}{\text{TOTAL ACTUAL CY. USED}} = \frac{20,000}{\text{NEW ADJUSTED CYCLE LIMIT}}$ $\frac{\text{N/A}}{\text{HOUR LIMIT}} - \frac{17,704.80}{\text{TOTAL HOURS USED}} = \frac{\text{\#VALUE!}}{\text{HOURS REMAINING}}$
<div>TT: <u>17,704.80</u> TC: <u>9,743</u></div> <div>TR: <u>N/A</u> CR: <u>10,257</u></div>	

Calculated by:

Authorized Signature

Date: 1-May-14

Disk traces reviewed & accepted disk for installation on ESN: 726121

Acceptance Signature

Date: 5/8/14

NOTE: DISK BEING RECOATED.

C-12

F. J. Turbine Power, Inc.

FAA Approved Repair Station F7JR192Y

Form Q 009 - 10/5/98

Engine Work Card: FJT 1044 - 2/26/01

ROUTINE WORK FORM

WARNING: This routine work form does not in any way supersede the OEM's manual requirements. This form is intended to be used in conjunction with the OEM's manuals.

TITLE:		
Disk Worksheet for Pro-Rating Cycles - JT8D Engine Manual 05-10-00		
CUSTOMER:	WORK ORDER:	
JEGE, Inc.	800724	
DISK PART NUMBER:	DISK SERIAL NUMBER:	
798512-001	BENCAM3548	
OPERATION AND REFERENCE PROCEDURE		
USED ON ENG. MODEL (RATING)	15A	$\frac{15,696}{\text{CY. USED @ THIS RATING}} \div \frac{20,000}{\text{CY. LIMIT FOR THIS RATING}} = \frac{0.7848}{\% \text{ USED @ THIS RATING}} \times \frac{20,000}{\text{CY. LIMIT FOR INTENDED RATING}} = \frac{15,696}{\text{EQUIVALENT CY. USED @ THIS POWER RATING}}$
ENG. MODEL (RATING) TO BE USED ON	219	$\frac{20,000}{\text{CY. LIMIT FOR INTENDED RATING}} - \frac{15,696}{\text{TOTAL EQUIVALENT CY. USED}} = \frac{4,304}{\text{CYCLES REMAINING}} + \frac{15,696}{\text{TOTAL ACTUAL CY. USED}} = \frac{20,000}{\text{NEW ADJUSTED CYCLE LIMIT}}$
		TT: 18,826.00 TC: 15,696
		TR: N/A CR: 4,304
		$\frac{N/A}{\text{HOUR LIMIT}} - \frac{18,826.00}{\text{TOTAL HOURS USED}} = \frac{\#VALUE!}{\text{HOURS REMAINING}}$

Calculated by:

Authorized Signature

Date: 1-May-14

Disk traces reviewed & accepted disk for installation on ESN: 726121

Acceptance Signature

Date:

5/8/14