
From: jeffrey E. <jeevacation@gmail.com>
Sent: Wednesday, June 24, 2015 6:18 PM
To: Richard Kahn
Subject: Re: Dock Fenders

option 3

On Wed, Jun 24, 2015 at 1:38 PM, Richard Kahn <[REDACTED]> wrote:

Richard Kahn
HBRK Associates Inc.

New York, NY 10022

tel [REDACTED] /a>
fax [REDACTED] <tel:[REDACTED]>
cell [REDACTED] <tel:[REDACTED]>

Begin forwarded message:

<=iv style="margin-top:0px;margin-right:0px;margin-bottom:0px;margin-left:0px">From: Richard Kahn
<[REDACTED]> <mailto:[REDACTED]> >

Subject: Dock Fenders

Date: June 23, 2015 at 3:44:00 PM EDT

=o: "jeffrey E." <jeevacation@gmail.com <mailto:jeevacation@gmail.com> >
=/div>

Layout </=>

Attached are 5 layout options for dock fenders in addition to our current layout
=div>

Options 1-3 are three rows of 6' fenders

<=iv>Carlos measured to cover entire dock we would need 693 feet which comes to 116 (6' pieces)

Options 4 & 5 are two rows of 6' fenders

Carlos measured to cover entire dock we would need 462 feet which comes to 77 (6' pieces)

=>Note 500 feet is minimum order therefore we will need to order 84 pieces=>

Carlos has sample on LSJ in dark grey color which you said was correct color

If you are not satisfied with any of the above layouts please advise on alternate configuration

Fender Holes

=>

Regarding Holes in Fenders i also outlined two options

Option A - Screws will be 1.5 feet apart

Option B - Screws will be 1 foot apart

=>

The Back Hole would be 1/2" and Front Hole will be 1=5"

Timing

Production will take 3 weeks and then another 1 week for shipping

Projected arrival on STT is Jul= 20

Installation

Carlos said that with Ramon and Hernando installation will take approximately 1 week

Projected Costs=>

9,314.92

Options 1-3 (three rows of fenders) Color - Dark Grey # 11181 =C2 13.44 x 693 feet =

Vendor Hole Drilling (1 drilling cost per hole x 116 pieces x 3 holes) 348.00

Stainless Steel Threaded Rods & Bolts (estimated 116 pieces x 3 screws per piece x 12.00)

4,176.00

Tropical Shipping = 1,500.00

Miscellaneous Tools (drill bits, etc) =61.08

Total Cost with three rows of fenders 16=000.00

Options 4 & 5 (two rows of fenders) Color - Dark Grey # 11181 13.44 x 500 feet = 6,720.00

Vendor Hole Drilling (1 drilling cost per hole x 84 pieces x 3 holes) 252.00

Stainless Steel Threaded Rods & Bolts (estimated 84 pieces x 3 screws per piece x 12.00)

3,024.00

Tropical Shipping 1,500.00

Miscellaneous Tools (drill bits, etc) 504.00

Total Cost with three rows of fenders =A0 12,000.00

Please advise on which Option you would like in addition to number of holes per piece (3 or 4)

http://www.zoro.com/value-brand-threaded-rod-plain-12-10x3-ft-
lc012=1003pldar/i/G1605527/?utm_source=google_shopping&utm_medium=cpc&am=;utm_campaign=Google_Shopping_Feed&gclid=CjwKEAjwh6SsBRCYrKHF7J3Nj=cSJACUxAh7poTcc2K3zsySvFqwmGLzK3TUQ52UwvFjuxcOQ-
Lh5hoCFKw_wcB&gclid=3Daw.ds <http://www.zoro.com/value-brand-threaded-rod-plain-12-10x3-ft-
lc01201003pldar/i/G16055=7/?utm_source=google_shopping&utm_medium=cpc&utm_campaign=Google_Shopping_Feed&gclid=CjwKEAjwh6SsBRCYrKHF7J3Nj=cSJACUxAh7poTcc2K3=sySvFqwmGLzK3TUQ52UwvFjuxcOQ-
Lh5hoCFKw_wcB&gclid=aw.ds>

<http://technorubberindustries.com/techno.pdf>
<<http://tech=orubberindustries.com/techno.pdf>>

Richard Kahn
HBRK Associates Inc.

New York, NY 10022

tel: [REDACTED] =/a>
fax: [REDACTED] <tel: [REDACTED]>
cel: [REDACTED] <tel: [REDACTED]>

=/blockquote>

=/div>

<=blockquote>

111

please n=te

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of

JEE

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com <<mailto:jeevacation@gmail.com>> , and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved