
From: Lvjet - [REDACTED]
Sent: Monday, August 18, 2014 3:51 AM
To: jeevacation@gmail.com
Subject: Line Array speakers

Jeffrey

still research=ng Line array speakers,. most indicate weather resistant, not =eather proof, so they can handle light rain, i'd imagine we=20would have to build enclosures,.

option #1

<http://www.hisupplier.com/product-689464=rofessional-Line-Array-Speaker/> <<http://www.hisupplier.com/product-68=464-Professional-Line-Array-Speaker/>>

see =ink:

ht=p://www.bhphotovideo.com/c/product/412728-
REG/Toa_Electronics_HX_5B_HX5B_Variab=e_Dispersion_Speaker.html/prm/alsVwDtl
<<http://www.bhphotovideo.com/c/product/412728->
=EG/Toa_Electronics_HX_5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl>

and this link:

<<http://www.bhphotovideo.com/c=product/820959->
REG/American_Audio_MR4_SYSTEM_MR4_System.html/prm/alsVwDtl=><http://www.bhphotovideo.com/c=prod>
uct/820959-REG/American_Audio_MR4_SYSTEM_=RAY_4_System.html/prm/alsVwDtl</div> <div></div>
<div>=</div> <div id=>=0A

Toa =electronics </=> =09 <<http://www.bhphotovideo.com/c/buy/Shop-by-Brand-Toa->
Electronics/ci/4/phd/4291135718/N/4294255798>

<<http://static.bhphoto.com/images/images200x200/412728.jpg>> =09 =0A
<<http://static.bhphoto.com/images/plimageZoom.jpg>= border=>

212.465.0191 =/span> Live Chat

print <<http://www.bhphotovideo.com/c/product/412728->
REG/Toa_E=electronics_HX_5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl#> email
<<http://www.bhphotovideo.com/bnh/controller/home?O=productDetail&A=EmailPage&Q=productDetail&sku=412728>
&=mp;is=REG> =/div> =/iframe>
=20
</=>0
=!-- End topLeft -->

Toa Electronics HX-5B Variable Dispersion Line Array Speaker (Black)</=pan>

B&H # TOHX5B =09 =09 Mfr # HX-5B =09

Usually ships =n 7-10 business days =09 =09

Availability Details

=div class="close" data-selenium="close">Close This item is usually Drop Shipped from the MFR/Distributor within 7-10 business days (subject to availability). Your order will be charged at the time of placing the order with the vendor. Item is non-cancelable and non-returnable.

Save \$70 on 20Tascam CD-500 Single-Rackspace CD Player <http://www.bhphotovideo.com/find/bundles-adm.jsp?sku/412=28/is/REG/di/3572/addedThroughType/cat%40__ADM_PrdDtl/addedThroughValue/TOHX5B/ignoreSessionTimeOut/true/m/Y> =/li>

* Save 10% on Ultimate Support JS-KC80 Karma Equipment Cart <http://www.bhphotovideo.com/find/bundles-adm.jsp?sku/12728/is/REG/di/3315/addedThroughType/cat%40__ADM_PrdDtl/addedThroughValue/TOHX5B/ignoreSessionTimeOut/true/m/Y> =09

View All Savings<=r>

Bill Me Later 6 months No Payments <<https://www.securecheckout.billmelater.com/purchase-content/fetch?hash=BP2328ET&content=/bmlweb/tnpupto6m100750rollin=iw.html>>

=0A

=09

=09 =09 =09 ITEM IN WISH LIST

ADD TO WISH LIST=

=20

+ International Pricing Disclaimer

+ <<http://www.bhphotovideo.com/find/internationalPricingDisclaimer.jsp>>

=09 =09

Ratings: =09

=a class="readReviewsLink rvStars star40" href="http://www.bhphotovideo.com/c/product/412728-REG/Toa_Electronics_HX_5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl#costumerReview" data-selenium="readReviewsLink">1 reviews<=a> write a review =09 Product Highlights

- * Four Trapezoidal Speaker Enclosures
- * Bass-Reflex Type
- * Speakon NL4MP x2 & M4 Terminal
- =li class="pProductHighlightLI">5" LF Cone Woofer Per Enclosure
- * Three Balanced HF Drivers Per Enclosure
- * Adjustable 60, 45, 30 and 15° Angles

=div class="bottomLeft" data-selenium="bottomLeftPage"><<http://www.bhphotovideo.com/images/loading.gif>> =20

* Overview
=09
* Specifications <http://www.bhphotovideo.com/c/product/412728-REG/Toa_Electronics_HX_5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl#Specification>
=09

* In the Box
=09 =20
* Customer Reviews <http://www.bhphotovideo.com/c/product/412728-REG/Toa_Electronics_HX_5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl#costumerReview> =09
=09 =09

* Accessories =09

<<http://www.bhphotovideo.com/nh/controller/home?O=productDetail&A=accessoryIntermediate&Q=&sku=412728&is=REG&si=acc&via=js&includedIn=detailPage>> data-selenium=>

The TOA HX-5B Variable Dispersion Line Array Speaker gives you a new approach to speaker design. TOA approached the challenge of pattern control with four adjustable dispersion angles. Within seconds you can adjust between 60, 45, =0 and 15° and all with pattern control below 1 kHz. =div> With 600W of continuous power you have high power

=andling in a durable, lightweight package. This particular mode= is black to best match your working environment and ble=d into the background. You can even increase its functionalit= by mounting your speakers vertically or horizontally with th= built-in bracket, or purchase the optional wall or ceilin= mount for even more versatility.

And for the <=>piece de resistance, this particular model is weather resi=tant, so if outdoor venues are your forte, this is really =he speaker system for you.

=09 Ideal for auditoriums, houses of worship and =ymnasiums and more

Adjustable =ispersion angle to 60, 45, 30 or 15° =09

=09 Improved intelligibility through tailored coverage =09

=09 Compact design includes four preasse=bled modules with four LF drivers and twelve HF dome tweete=

In-line driver arrangement f=r superior vertical coverage control =09

=09 Horizontal coverage remains broad through speech range: 100 =eg. fixed

Contoured waveguide-ba=fle for distortion-free coverage control =09

=09 High power handling: 600W cont. (200W, 24 hr. pink no=se)

High sensitivity: up to =9dB, 1 watt @ 1 meter (500 to 5,000 Hz) =09

=09 Stack up to four units for improved coverage c=ntrol

Lightweight polypropylene =onstruction

Available in black =nd white

Weather-resistant versi=ns

Parallel connectors - dual =peakon and screw terminal

Vert=cal or horizontal mounting </=d>

Bui=t-in surface-mount bracket

Hardw=re included for flying / suspension =09

=09 Optional wall, ceiling and stand-mount hardware =20

=09 Optional bracket for joining multiples into =ne array

Compatible with Omnim=unt 60 Series mounting hardware =20

=ptional subwoofer, model FB-120 =20

=ptional 70 volt transformer, model MT-200 =09

=09 Five year warranty <=dd>

<=r>Active or Passive=09 =09 Passive =20 =20 =20 =20
Frequency Response =09 =09 =09 70Hz - 20kHz (-10dB) (60° mode), 75Hz - 20kHz (-10dB) (45° mode), 80Hz - 20kHz (-10dB) (30° mode, 85Hz - 20kHz (-10dB) (15° mode)
Power Capacity =09 =20=09 600W =20 =20 =20 =20 =20 =20
Maximum sound Pressure Level (SPL) =09 Not Specified by manufacturer =20 =20 =20 =20
Nominal=20Sensitivity =09 15° - 99 dB30° - 98 dB45° - 97 dB60° - 96 dB =20 =20 =20 =20
Impedance =09 =09 =09 8 ohms =20 =20 =20 =09
Crossover =09 4 kHz =20 =20 =20 =20
Low Frequency Driver =09 =09 12 cm Cone x 4 =20 =20 =20 =20
High Frequency Driver =09 =09 Balanced Dome x 12 =20 =20 =20 =20

<style> =09 .mainTabs { display: block; } </style>
=09

* Overview <http://www.bhphotovideo.com/c/product/4127=8-REG/Toa_Electronics_HX_5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl#verview>
* =a href="http://www.bhphotovideo.com/c/product/412728-REG/Toa_Electronics_HX=5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl#Specification" data-sel=nium="SpecificationTabBottom">Specifications
* In=20the Box <http://www.bhphotovideo.com/c/product/412728-REG/Toa_Electronics_HX_5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl#WhatsInTheBox>
* Customer Reviews <<http://www.bhphotovideo.com/find/incDetailReviews.jsp?sku=412728/is/REG/pr/reviews#costumerReview>>
* Access=ries <http://www.bhphotovideo.com/=product/412728-REG/Toa_Electronics_HX_5B_HX5B_Variable_Dispersion_Speaker.html/prm/alsVwDtl#bigAccessories>

=09
Show more >
=div class="accContanctWrapper" data-selenium="accContentWrapper">
<http://www.bhphotovideo.com/find/itemIncDetails.jsp?sku=353405/is/REG/type/acc/att/cat@__accessory_Essentials%5EDetail%5ELyr@__parent@_=TOHX5B>
Whirlwind - =span class="itemDescription"> Speakon to Speakon Speaker Cable=20(12 Gauge) - 25' =09
* You Pay: =09 \$62.34 =09
* =span class="value">EUR 46.53 =09
*
=0A =09 =09
=09

=09
Add to cart
In Cart <<http://www.bhphotovideo.com/find/cart.jsp>>
| =09

=09 In Wish List =09

Bulk Raw Cable

Show more > =09
<<http://www.bhphotovideo.com/bnh/controller/home?O=productDetail&A=accessoryIntermedi=te&Q=&sku=412728&is=REG&showAllForId=49474&si=acc=amp;via=js&includedIn=detailPage>>

<<http://static.bhphoto.com/images/smallimages/548956.jpg>> =09 Steren - 14-Gauge 2-Conductor Economy Speaker Wire, Cle=r - 1000' Spool =09

* You Pay: =09 \$299.00 =09
* EUR 223.17 =09
*

=0A =09 =09

=09

Usually ships in 7-14 business=20days = This is a special order item. Est. ar=ival at B&H is 7-14 business days (subject to availabilit=). Your order will be charged at the time of shipment. </=pan> <=div>

=09
=div class="addToCartButton" data-selenium="addToCartButton">Add to cart In Cart
<<http://www.bhphotovideo.com=find/cart.jsp>>
| =09
<= class="sprBtn inWish"
href="https://secure.bhphotovideo.com/bnh/cont=oller/home?O=productDetail&A=WishList&Q=showWishList" data-
sele=ium="inWishlistBtn"> In Wish List =09 <<http://static.bhphoto.com/images/smallimages/412749.jpg>>
To= Electronics - &n=sp;HY-ST1 - Stand Adapter for HX-5 Series =09

*
*

=20 =20 =09

Usually ships in 7-10 business day= i =09 This item is usually Drop Shipped from th= MFR/Distributor within 7-10 business days (subject to availabi=ity). Your order will be charged at the time of placing t=e order with the vendor. Item is non-cancelable and non-returnable. =/span> =div class="clear"> =/div>