

---

**From:** CARLUZ TOYLO <[REDACTED]>  
**Sent:** Tuesday, November 20, 2018 8:24 PM  
**To:** J  
**Subject:** Re: part0.jpg

Ok will inform George not this tree.

Carluz N. Toylo  
358 EL Brillo Way  
Palm Beach , FL 33480

On Nov 20, 2018, at 15:22, J <jeevacation@gmail.com <mailto:jeevacation@gmail.com>> wrote:

no

On Tue, Nov 20, 2018 at 2:54 PM CARLUZ TOYLO <[REDACTED]> > wrote:

Sir ,

George wants to know soon , if this is ok for the service entrance tree replacement ?

8ft x 4ft wide

Thank you

Carluz N. Toylo  
358 EL Brillo Way  
Palm Beach , FL 33480

--

please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this

communication in error, please notify us immediately by  
return e-mail or by e-mail to jeevacation@gmail.com <mailto:jeevacation@gmail.com> , and  
destroy this communication and all copies thereof,  
including all attachments. copyright -all rights reserved