
From: jeffrey E. <jeevacation@gmail.com>
Sent: Thursday, September 13, 2018 8:09 AM
To: Gino Yu
Subject: Re: Friend in NYC next week

both . im in fri and sat

On Thu, Sep 13, 2018 at 6:23 AM, Gino Yu [REDACTED] >> wrote:

Resend. Hope all is well.♦=AO

Gino

Sent from my iPhone

On Sep 7, 2018, at 4:24 AM, =ino Yu <phusiko=@gmail.com <mailto:phusikoi@gmail.com> > wrote:

Hi J=ffrey,

Am traveling on the Evolving Caravan (www.evolvingcaravan.com <<http://www.evolvingcaravan.com>>) in October= One of the practitioners of the Caravan will be in NYC. Her n=me is Nathalie (=tts://www.ownyourspace.nl <<https://www.ownyourspace.nl>>). In my model, she is a stage 3.5 or =o (stage 1 = consensus reality, stage 2 = all in on one thing, stage 3== surrendering to the bigger forces at work, stage 4 = intuition ->=insight, stage 5 = special abilities in a grounded way).

Mitch who I brought to you to see last time (Tesla) was a =igh stage 2 (high energy tied to story). When their worldview is cha= lenged, they fight back (hence the debate). Worldview tightly couple= to autonomic nervous system.

Stage 3 is a=shift to the innate joy of being. Nathalie was a dancer and big on e=bodiment (see her website). She'll be on the caravan most of=October.

Let me know if you'd like=to meet her when she's in NYC. Let me know.

</=iv>

I also have a new good friend based in NYC I'd like to int=roduce you to. His name is Chris Wink. He co-founded Blue Man G=oup. Also let me know if you are interested in meeting Chris.

<=iv>

This is his interest (copied and pasted from him):

=div>

I'll e=d with this:

These days, I am especially passionate about "Cliteracy=" There is a huge orgasmic pleasure gap between men and women that=needs to be fixed, and I hope my TV project will help.

Here is my 3D print out of =n actual size clitoris.

Did you=know that:

- * 90 percent of the clitoris is below the surface.

<=pan style="font-family:Arial,sans-serif">

- * It takes an average of 20 minutes for the erectile tissue in the clitoris to become engorged, as compared to only 3 minutes for the penis.

<=pan style="font-family:Arial,sans-serif">

For the vast majority of women, intercourse does not provide=enough direct clitoral stimulation for them to achieve orgasms. In one study, less than 25 percent of women reported being consistently orgasmic during vaginal intercourse. No matter how long it lasts, no matter what size the man's penis, and no matter how the woman feels about the man or the relationship, intercourse does not provide enough direct clitoral stimulation to allow most women to become aroused enough to have orgasms. 94 percent of women need some form of clitoral stimulation to achieve orgasm.

<=ul>

- * Women who identify as lesbian women have significantly more orgasms than straight women.

* Heterosexual women report having significantly more orgasms when they are masturbating alone than when they are with a partner.</=>

* The Clitoris was only recently fully mapped: a team of French researchers carried out the first sonographic mapping of an erect clitoris in 2009 even though the technology to do so had existed for years.

* Unlike the penis, the clitoris has no refractory period (only a very brief period of post-orgasm heightened sensitivity). Because of this, many clitorises are capable of experiencing double digit multiple-orgasms if given the right stimulation.

--

=C2◆ please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of

JEE

Unauthoriz=d use, disclosure or copying of this
communication or any part thereof =s strictly prohibited
and may be unlawful. If you have received this

return e-mail o= by e-mail to j=evacation@gmail.com <mailto:jeevacation@gmail.com> , and
destroy this communication and all copies =hereof,
including all attachments. copyright -all rights reserved
</=iv>