
From: jeffrey E. <jeevacation@gmail.com>
Sent: Tuesday, September 4, 2018 12:28 PM
To: Richard Kahn
Subject: Re: Solar down on gsj

start 25k at open.

On Tue, Sep 4, 2018 at 8:25 AM, Richard Kahn <pan dir="ltr"><[REDACTED]><mailto:[REDACTED]> > wrote:

Yes very relaxing vacation.
Thank =ou.

I will put in stock orders this am. Regarding=150,000 Carvana purchase shall we use a limit, vwap or use trader discreti=n? Stock closed at 64.74. Please advise. Thank you.

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue, 4th Floor
<<https://maps.google.com/?q=575+Lexington+Avenue,+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>>
New York, NY 10022
Phone [REDACTED]
Fax [REDACTED]
Cell 917-414-75=4

On Sep 4, 2018, at 8:19 AM, jeffrey E. <jeevacation@gmail.com</=>> wrote:

=ur 20 kw gnerator on site? after you deal wtih them with=the barge dock , r o etc. we can have a call with all . =C2◆ welcome home did you have a nice vacation.

On Tue, Sep 4, =018 at 8:12 AM, Richard Kahn <[REDACTED]><mailto:[REDACTED]> >

I will schedul= a call today with Brian and brad unless you prefer Darren to write letter= Please advise. Thank you.

Rich=rd Kahn
HBRK Associates Inc.</=iv>
575 Lexington Avenue, 4th Floor
<<https://maps.google.com/?q=3D575+Lexington+Avenue,+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>>

New York, NY 10022

<https://maps.google.com/?q=575+L=lington+Avenue,+4th+Floor+New+York,+NY+10022&entry=gmail&source=3Dg>

Phone [REDACTED]

Fax [REDACTED]

Cell [REDACTED]

Begin forwarded message:

<=iv>From: brice gordon <[REDACTED] <mailto:[REDACTED]>>
Date: September 4= 2018 at 7:58:51 AM EDT
To: Brad Spernak <[REDACTED] <mailto:[REDACTED]>>
>=br>Cc: Brian Walden <[REDACTED] <mailto:[REDACTED]>> = target=> , michael glidden
<[REDACTED] <mailto:[REDACTED]> &=t;,[REDACTED] <mailto:[REDACTED]>
Subject: Re: Friday June 29th

</=iv>

it went down prior to weekend,=i thought was due to the bad weather thursday last
week

[REDACTED] wrote:

Evening Bric=,

Dan will be there in the morning. We'll=be at the office at 7 and send him to a
Redhook by 8. I'll ask him=to coordinate directly with you once we meet.

Thank You,

Brian Walden
ProSolar Ameri=a, llc
Director of Operations
c. [REDACTED] { [REDACTED]

[REDACTED] <mailto:bgordon.lsj@gmail.com> wrote:

<=div>

Good Evening

The sol=r system is down on GSJ
No power Sunny islands
S=nnny boys seem to be in alarm
Cluster box no power
Plea=e advise as to Dans schedule
Regards Brice

Sent from my iPhone

On Jul 11, 2018, at 2:10 PM, M=rcelo <<mailto:[REDACTED]>>

> wrote:

Good Afternoon Richard,

Please see the below email containing Dan's summary of what actions he performed on his last visit to GSJ. A0

Regards,

Marcelo Perez</=>

Project Manager

[REDACTED]

<401A334B=BB040D0BBA29AA3089AB844[431569].jpg>

www.prosolara=erica.com/

=blockquote style="border:none; border-left:solid #cccccc 1.0pt; padding:0cm 0cm 6.0pt; margin-left:4.8pt; margin-right:0cm">

From: Dan Prosolar
<=>Sent: Wednesday, July 11, 2018 1:10 PM
To: Marcelo
Subject:=Re: FW: Friday June 29th

Good afternoon=all, sorry for the delay my email had an issue and became unlinked so I wasn't receiving these until now. Regarding GSJ here is what=99s been achieved.

-all Aquion battery modules =re wired to bypass the corroded, water damaged circuit boards that could interfere with charging profiles.

<= class="MsoNormal">

<=div>

-sunny islands (6) were downgraded to firmware version 6.0.02. This was done to allow a broader, linear charge profile to be set

<= class="MsoNormal">

<=div>

-charging parameters are now based on voltage set points rather than state of charge calculation= done internally with different references.

=/div>

=/span>

-max charge voltage has been set to 58.5V and the batteries will not stop charging until a voltage 1.5V over the set limit is achieved for 15 seconds. This gives them the ability to surpass the previous charge voltage of 56.7V◆=A0

- the main issue that caused so much down time before was as follows. A target charge voltage that matched the Aquion batteries was=not possible with the previous profile. Compiled on that was faulty Aquion=circuit boards preventing the batteries from properly charging to a suitable voltage. Aquion, as we know, is no more, so it's impossible to obtain replacement parts. Aquions bms never met the as advertised performance and created more issues than we could have imagined. In short, the change= I made allowed for a higher, more suitable battery voltage to be achieved=and prevents the premature shut down we saw before.

<=>

Again, sorry for the delay, hope all is well =/p>

Thanks <=u>

Dan Chrisman

Senior Technical Specialist

Prosolar LLC

From: =/span>Richard Kahn <mailto:[REDACTED]>
Sent: Wednesday, July 11, 2018=10:30 AM
To: Brian Prosolar <mailto:[REDACTED]>

Cc: Brad Spernak <[REDACTED]> ; michael glidden
; Brice Gordon <mailto:[REDACTED]> ; [REDACTED]
<mailto:[REDACTED]> <=r>Subject: Re: Friday June 29th

can we do thursday morning or anytim= friday

when can expect Dan's summary?

please advise

t=ank you

Richard Kahn

575 Lexington

<https://maps.google.com/?q=575+L=exington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&source=3Dg>
Avenue 4th Floor

<https://maps.google.com/?q=575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>
New York, NY <A010022=a>
tel [REDACTED]
fax [REDACTED]
cell [REDACTED]

<https://maps.google.com/?q=575+Lexington+Avenue+4th+Floor+N=w+York,+NY+10022&entry=gmail&source=g>

We're still evaluating but all is functioning as intended f=r the moment.

Additional monitoring and confirmation are needed since the =eather over the last week has been extremely cloudy.
</=pan>

Would it be=possible to have our call on Thurs. afternoon at 3 EST?

<=>

Regards,

Brian Walden
ProSolar =merica, llc

Director of Operations

=p class="MsoNormal">c. [REDACTED] [REDACTED]

=/div>

<=>

On Jul 10, 2018, at 1:50 PM, Richard =ahn <[REDACTED]>

<mailto:[REDACTED]> > wrote:

i have not yet heard back from anyone on a time to sp=aak

Richard Kah=br/>HBRK Associates Inc.
575 Lexington

<https://maps.google.com/?q=5+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&sour=e=g>
Avenue 4th Floor
<https://maps.google.com/?q=575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=3Dgmail&source=g>
New York, NY1=022
<https://maps.google.com/?q=575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>
tel [REDACTED]
fax [REDACTED]
cell [REDACTED]

=n Jun 29, 2018, at 1:36 PM, Brian Prosolar <[REDACTED]>

> wrote=

Afternoon Rich,

I believe the normal boat arrival =ime is 8 or 8:30 a.m. in Redhook.

Dan will be there.<=u>

=u>

Regards,

=p class="MsoNormal">Brian Walden
ProSolar Americ=, llc

Director of Operations

c. [REDACTED] <[REDACTED]>

=/div>

=/span>

On Jun 29, 2018, at 1:20 PM, Richard Kahn <[REDACTED]>

<mailto:[REDACTED]> > wrote:

please confirm what time you will be arriving at GSJ on Mon=ay

Afternoon Richard,

We're still trying to have a fi=al discussion with Stefan as well as track down multiple 128MB or smaller =D cards to reboot the Sunnyboy inverters. We're moving as quickly =s we can in order to execute the conversion plan but it looks like we have=to push to Monday. Dan has shown Michael how to get the system back up and=operating in the event of it dropping offline and that is working for the =nterim.

Regards,

[REDACTED] <=a>> wrote:

please confirm that you will be at GSJ tomorrow to work on the Solar<=u>
thank=you

Richard Kahn
HBRK Associa=es Inc.
575 Lexington

<https://maps.google.com/?q=575+Lexington+Aven=e+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>
Avenue 4th Floor
<https://maps.google.com/?q=575=Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&source=3Dg>
New York, NY
<https://maps.goo=le.com/?q=575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry==mail&source=g>
10022

tel [REDACTED]
fax [REDACTED]
cell [REDACTED]

=/span>

<=>

On Jun 25, 2018, at =:27 PM, Brian Prosolar <[REDACTED]>

<mailto:[REDACTED]> > wrote:

I want to ensure we have the PCB bypass discussion wi=h the engineers prior to the visit and will try to expedite. <=>

Brian Walden
EE/RE Consultant
c. [REDACTED] <[REDACTED]>
</=iv>
=/u>

On Jun 25, 2018, at 5:05 PM, Richard Kahn <[REDACTED]>
<mailto:[REDACTED]> wrote:

<=span lang="en-CA">we are without any solar currently=</p>
can you please try to have dan come sooner
thank you

=div>

Richard Kahn
HBRK Associates Inc.
575 Lexington

<https://aps.google.com/?q=575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&=ntry=gmail&source=g>
Avenue 4th Floor

New York, NY

<https://maps.google.com/?q=575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>
10022

<https://maps.google.com/?q=575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>

tel [REDACTED]
fax [REDACTED]
cell=[REDACTED]

On Jun 25, 2018, at 4:31 PM, Brian Prosolar <[REDACTED]>
wrote:

=span lang="en-CA">

Afternoon Richard,

<=span>

I have Dan on the schedule to head to GSJ on Friday.

Regards, <=u>

=u>

Brian Walden

ProSolar America, Llc

Dir. of Operations

[REDACTED]

On Jun 25, 2018, at 3:30 PM, Richard Kahn <[REDACTED]>
<mailto:[REDACTED]> > wrote:

can you please advise when your men can come in and fix our solar system
thank you

Richard Kahn
HBRK Associates Inc.
75 Lexington Avenue 4th Floor

<<https://maps.google.com/?q=575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>>
New York, NY 10022

<<https://maps.google.com/?q=3D575+Lexington+Avenue+4th+Floor+New+York,+NY+10022&entry=gmail&source=g>>
tel [REDACTED]

cell [REDACTED]

=/p>

</=iv>

=span lang="en-CA">

<=u>

</=>

<=p>

</=>

</=iv>

<401A334B1BB040D0BBA29AA=089AB844[431569].jpg>

<=div>

Prosolar Systems

Caribbea=: [REDACTED]

Florida: [REDACTED]

<<https://www.facebook.com/ProSolarystems/>>

<<https://twitter.com/prosolaramerica?lang=en>> <<https://www.instagram.com/prosolarsystemsusvi/>>

<<https://www.linkedin.com/company/prosolar-systems>>

Prosolar Systems

Caribbea=: [REDACTED]

Florida: [REDACTED]

<<https://www.facebook.com/ProSolarystems/>>

<<https://twitter.com/prosolaramerica?lang=en>> <<https://www.instagram.com/prosolarsystemsusvi/>>

<<https://www.linkedin.com/company/prosolar-systems>>

--

Brice Gordon
The Saint James Group
USVI

Ph: [REDACTED]

--

=C2◆ please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE

Unauthorized use, disclosure or copying =f this communication or any part thereof is strictly prohibited and =ay be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com, and<=r>destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved

<=iv dir="ltr"> please note
<=iv>The information contained in this communication is confidential, may=be attorney-client privileged, may constitute inside information, and i= intended only for the use of the addressee. It is the property of
J=E

Unauthorized use, disclosure or copying of this communication or a=y part thereof is strictly prohibited and may be unlawful. If you have =eceived this communication in error, please notify us immediately by jeevacation@gmail.com <<mailto:jeevacation@gmail.com>> , and destroy this communication=and all copies thereof, including all attachments. copyright -all right= reserved

--000000000000790fe005750ac800-- conversation-id 329461 date-last-viewed 0
date-received 1536064057 flags 8590195713 remote-id 850708