
From: Eric Roth <[REDACTED]>
Sent: Tuesday, August 28, 2018 7:32 PM
To: jeffrey E.
Subject: RE: Sub woofer

So would you like for us to mount the subwoofer to the L/H forward bulkhead?

Best Regards,

Eric

ERIC H. ROTH | PRESIDENT

[REDACTED]

[REDACTED]

From: jeffrey E. [mailto:jeevacation@gmail.com]
Sent: Tuesday, August 28, 2018 3:30 PM
To: Eric Roth <[REDACTED]>
Subject: Re: Sub woofer

No meed for mag

On Tue, Aug 28, 2018 at 2:48 PM Eric Roth <[REDACTED]> wrote:

It is urgent if it is going to end up in the divan arm rest.

There is a magazine rack mounted on the L/H fwd cabin bulkhead.

Best Regards,

Eric

ERIC H. ROTH | PRESIDENT



From: jeffrey E. [mailto:jeevacation@gmail.com <mailto:jeevacation@gmail.com>]
Sent: Tuesday, August 28, 2018 2:42 PM
To: Eric Roth <[REDACTED]>
Subject: Re: Sub woofer

on the bulkhead behiand LH 1? not urgent frankly , side pouches. ? .

On Tue, Aug 28, 2018 at 2:39 PM, Eric Roth <[REDACTED]> wrote:

No – there is a blow out pressure panel there.

Best Regards,

Eric

ERIC H. ROTH | PRESIDENT

D 631 737 5999 | 6 516 857 6522 | eroth@iclist.com | eroth@iclist.com | eroth@iclist.com

From: jeffrey E. [mailto:jeevacation@gmail.com <mailto:jeevacation@gmail.com>]
Sent: Tuesday, August 28, 2018 2:30 PM
To: Eric Roth [REDACTED]
Subject: Re: Sub woofer

can we add one under lh number 1 instead

On Tue, Aug 28, 2018 at 2:24 PM, Eric Roth [REDACTED] > wrote:

The aircraft was designed with four (4) sub woofers:

1. Under R/H #1 seat

2. Under L/H #3 seat
3. Under aft section of L/H divan
4. Under the L/H aft most seat (just fwd of the galley)

The Dennis Tracey subs are designed to require very little air movement (see photos below).

With regard to the curtain, we need to talk a little more, but we should make a "foldable) 3 / 4 panel ½ bulkhead that attaches to the arm rest cabinet with rare earth magnets. Use nomex composite for rigidity. We can discuss the foam, fabric, etc. over the phone. Please do not say mirror the bedroom side....

Mounts to the floor

There is a foam membrane to "seal" the sub with the only area for air movement is approx.. .50" high x 2.00" wide (either side of the one mounting bracket)

There is a foam membrane to "seal" the sub with the only area for air movement is approx.. .50" high x 2.00" wide (either side of the one mounting bracket)

Best Regards,

Eric

ERIC H. ROTH | PRESIDENT



--

please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com <mailto:jeevacation@gmail.com> , and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved

--

please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com <mailto:jeevacation@gmail.com> , and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved

--

please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com <mailto:jeevacation@gmail.com> , and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved