
From: Cashkim Bussue <[REDACTED]>
Sent: Thursday, March 21, 2019 7:47 PM
To: jeevacation@gmail.com; [REDACTED] Ann Rodriquez; [REDACTED]
Subject: Water Pump Intake For RO Plant Cont'd
Attachments: IMG_5204.JPG; Untitled attachment 00106.txt; IMG_5205.JPG; Untitled attachment 00109.txt; IMG_5206.JPG; Untitled attachment 00112.txt; IMG_5207.JPG; Untitled attachment 00115.txt; IMG_5208.JPG; Untitled attachment 00118.txt; IMG_5209.JPG; Untitled attachment 00121.txt; IMG_5210.JPG; Untitled attachment 00124.txt; IMG_5211.JPG; Untitled attachment 00127.txt; IMG_5212.JPG; Untitled attachment 00130.txt; IMG_5213.JPG; Untitled attachment 00133.txt; IMG_5214.JPG; Untitled attachment 00136.txt; IMG_5215.JPG; Untitled attachment 00139.txt; IMG_5216.JPG; Untitled attachment 00142.txt; IMG_5217.JPG; Untitled attachment 00145.txt; IMG_5218.JPG; Untitled attachment 00148.txt; IMG_5219.JPG; Untitled attachment 00151.txt; IMG_5220.JPG; Untitled attachment 00154.txt