
From: Brice Gordon [REDACTED]
Sent: Saturday, December 31, 2016 7:24 PM
To: jeffrey E.
Subject: Re:

brice, =/div>

Da=ny can install Profibus repeater, this may clear E stop alarm in PL=, if not then its the PLC =span style="font-size:12.800000190734863px">In a=y event recommend PLC is replaced, panels flooded 2014, electrical surges =016 Have reached out to Origin=l engineer who no longer works for TSG for assistance, expect to have=response in the New Year S7 pr=grammer could not help.

chillax bid

<=ont color="#0000ff">my understanding you where going to do this in =ouse For the work you have lin=d up now and in the future I =ill send proposed Tile selection on Monday for your approval

we were going to have a bid to redo th= wreck shop shed.? did we get one.

Had bid from EB for basic tidy =p, but it is more than that Was informed you had drawings for=a complete redo, Can I g=t these from John Woods?

On Sat, Dec 31, 2016 at 1:00 PM, jef=rey E. <jeevacation@gmail.com <mailto:jeevacation@gmail.com> > wrote:

brice, need your imput on =A0 PRD , kenny says he is only doing the outside for the=7500 k? where are we with GENSET. RO.=C2 solar fridge. . . solar fan? =A0 . rotten sheet rock. under master is the reason=for the smell wood rotted. as well. . . =hillax bid. cottage bid, timing. etc. . =A0 we were going to have a bid to redo the wreck shop shed.? =C2 did we get one. . .

--

=A0 please note

The information contained in this communicati=n is confidential, may be attorney-client privileged, may constitute=inside information, and is intended only for the use of the addressee. =t is the property of

JEE

Unauthorized use, disclosure or copying of =his communication or any part thereof is strictly prohibited and may=be unlawful. If you have received this communication in error, please n=tify us immediately by return e-mail or by e-mail to jeevacation@gmail.com <mailto:=eevacation@gmail.com> , and =estroy this communication and all copies thereof, including all attachm=nts. copyright -all rights reserved

--

Brice Gordon
Stanley, NM

Ph: (505) 934 2809